

Melatonin-d3

<http://cn.lumiprobe.com/p/melatonin-d3>


Melatonin-d3 is a deuterium-labeled stable isotopic analogue of the main pineal gland hormone, used as standards in NMR spectroscopy and mass spectrometry.

Melatonin takes part in the regulation of sleep, the activity of the endocrine system, circulatory and immune systems, and its pronounced antioxidant effect is also known. Replacing hydrogen atoms with its stable isotope, deuterium, allows absorption, distribution and metabolism to be determined in in vivo experiments [1]. The use of melatonin-d3 as a standard for mass spectrometry made it possible to accurately determine the melatonin content in biological fluids, such as blood plasma [2], urine [1], breast milk [3].

[1] Leone R.M. and Silman R.E. Melatonin can be differentially metabolized in the rat to produce N-acetylserotonin in addition to 6-hydroxy-melatonin. *Endocrinology*. 1984. 114(5). P.1825-1832.

[2] Zhao H., et al. A novel LC-MS/MS assay for the simultaneous determination of melatonin and its two major metabolites, 6-hydroxymelatonin and 6-sulfatoxymelatonin in dog plasma: Application to a pharmacokinetic study. *J Pharm Biomed Anal*. 2016. 117. P. 390-397.

[3] Jin W., et al. High-throughput quantitation of trace level melatonin in human milk by on-line enrichment liquid chromatography-tandem mass spectrometry. *Anal Chim Acta*. 2021. 1176:338764.



外观: 灰色固体

分子 235.30

量:

CAS 90735-69-6

编号:

分子 C₁₃H₁₃D₃N₂O₂

式:

IUPAC N-(2-(5-methoxy-1H-indol-3-yl)ethyl)acetamide-2,2,2-d3

名称:

溶解 乙腈、DMSO

度:

质量 NMR ¹H 和 HPLC-MS (95+%、D: 98+%)

控制:

储存 收到后 -20°C 避光保存 24 个月。运输: 室温下最多可保存3周。干燥。

条件:

法律 本产品仅供研究目的提供和销售。 本产品并未经过食品、药品、医疗器械、化妆品等领域的安全性和效力测试, 且未经明示或暗示授权用于其他任何用途, 包括但不限于体外诊断、人类或动物用途, 以及商业用途。