

Lumiprobe Corporation

201 International Circle, 135号套房 马里兰州亨特瓦雷,21030

美国

电话: +1 888 973 6353 传真: +1 888 973 6354

电子邮件: order@lumiprobe.com

sulfo-Cyanine 5.5 tyramide


http://cn.lumiprobe.com/p/sulfo-cy55-tyramide


Tyramide signal amplification (TSA) is the most versatile and effective way to enhance the intensity of the fluorescent signal, used in immunohistochemistry (IHC), immunocytochemistry (ICC), and fluorescence in situ hybridization (FISH). The TSA method is based on the ability of horseradish peroxidase (HRP) in the presence of low concentrations of hydrogen peroxide to convert a labeled tyramine-containing substrate into an oxidized, highly reactive free radical that covalently binds to the tyrosine residues of protein molecules located next to it.

Compared to conventional procedures, the TSA method increases the sensitivity of immunofluorescent detection of target molecules by more than 100 times, making it particularly suitable for detecting low-concentration targets. In applications where increased detection sensitivity is not required, TSA can significantly reduce antibody or probe concentrations without loss of signal intensity, thereby reducing background staining due to cross-reactivity or non-specific binding of antibodies.

Since the binding of the tyramide label is covalent, tyramides of different dyes can be used in several sequential rounds of TSA staining to detect multiple targets in the same sample.

This tyramide is a conjugate of the water-soluble far-red fluorescent dye sulfo-Cyanine 5.5. sulfo-Cyanine 5.5 tyramide (also known as Cy5.5® and Cyanine5.5 tyramide from other manufacturers) is a component of many tyramide signal amplification (TSA) kits. It can be used with any antibody or other molecules (streptavidin, etc.) conjugated to HRP to stain cells and tissues by immunofluorescence methods.





```
外观:
```

1136.48 分子

分子 式: $C_{48}H_{48}K_3N_3O_{14}S_4$

溶解

质量 控制:

储存

本产品仅供研究目的提供和销售。 本产品并未经过食品、药品、医疗器械、化妆品等领域的安全性和效力测试,且未经明示或暗示授权用于其他任何用途,包括但不限于体外诊 声明: 断、人类或动物用途,以及商业用途。

激发/ 673

吸收

极大 值,

纳米:

ε, 摩 211000

尔吸

光系 数 cmt 发射 691 极大 值, 纳米: 荧光 0.21 量子率:

CF₂₆₀: 0.09 CF₂₈₀: 0.11