

量子 产率: CF<sub>260</sub>: 0.32 CF<sub>280</sub>: 0.19

## **Lumiprobe Corporation**

115 Airport Dr Suite 160 Westminster, Maryland 21157

美国

电话: +1 888 973 6353 传真: +1 888 973 6354

电子邮件: <u>order@lumiprobe.com</u>

## TAMRA carboxylic acid, 5-isomer

http://cn.lumiprobe.com/p/tamra-carboxylic-acid-5

Tetramethylrhodamine (TAMRA) is a xanthene dye with orange emission. The dye is a FRET acceptor for FAM and is sometimes used as a quencher of FAM. Like other xanthenes, TAMRA exists as two isomers (5- and 6-) with similar spectral properties. This compound is a pure 5-isomer of TAMRA.

TAMRA carboxylic acid is a non-reactive form of TAMRA dye that can be used as a reference standard in experiments involving TAMRA dye conjugates. Besides, the carboxylic group can react with hydrazines, hydroxylamines, and amines using carbodiimides such as EDAC.

```
分子 430.46
CAS 91809-66-4
编号:
分子 C_{25}H_{22}N_2O_5
式:
质量
控制:
储存
条件:
法律 本产品仅供研究目的提供和销售。 本产品并未经过食品、药品、医疗器械、化妆品等领域的安全性和效力测试,且未经明示或暗示授权用于其他任何用途,包括但不限于体外诊
声明: 断、人类或动物用途,以及商业用途。
激发/ 541
吸收
极大
值,
纳米:
ε,摩 84000
尔吸
光系
数 cmt
发射 567
极大
值,
纳米:
荧光 0.1
```