

## Universal CPG type I, 500A

<http://cn.lumiprobe.com/p/universal-cpg-type-1>


The Universal CPG type I, 500A is one of universal supports used to immobilize nucleosides for high-throughput synthesizing oligonucleotides.

The cleavage from the support is followed by deprotection using anhydrous methylamine gas, ammonium hydroxide/methylamine mixture and other basic reagents. Universal support CPG type I is suitable for relatively aggressive environment treatment. Pore size of 500 Å is recommended for the synthesis of oligonucleotides up to 50 bases.

## Usage

Coupling: Standard conditions for universal CPG.

Deprotection: 3 hours at 80 °C using AMA mixture, ammonium hydroxide / 40% methylamine (1:1) for a 50 nmol scale synthesis. The bigger scale of synthesis requires more than 4 hours to complete.



外观:

质量控制:

制:

储存条件:

件:

法律声明: 本产品仅供研究目的提供和销售。本产品并未经过食品、药品、医疗器械、化妆品等领域的安全性和效力测试, 且未经明示或暗示授权用于其他任何用途, 包括但不限于体外诊断、人类或动物用途, 以及商业用途。

孔径大 500

小, 埃:

典型载 50-80

每 mg

偶联条

件:

切割条

件:

解保护

条件: